



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent Application of:

INVENTORS:

Vilhonen et. al.

SERIAL NO.:

10/054,568

ART UNIT: 2838

FILED:

January 22, 2002

EXAMINER: Unknown

TITLE: "DIRECT CONVERSION RECEIVER ARCHITECTURE"

ATTORNEY DOCKET NO.: 874.0105.U1(US)

COMMISSIONER FOR PATENTS

Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Sir:

In response to the Notice to File Corrected Application Papers mailed on February 19, 2002, enclosed herewith are the following:

X_ Copy of Notice to File Corrected Application Papers

X 6 Sheets of Formal Drawings

Should any fee be required please charge deposit account number 50-1924 for the required amount.

Date of Signature

Harry F. Smith, Esq.
Attorney for Applicant
Registration No. 32,493
Harrington & Smith, LLP
1809 Black Rock Turnpike
Fairfield, CT 06483
(203) 366-4084 phone

CERTIFICATE OF MAILING

I hereby certify that this paper or fee is being deposited with the United States Postal Service as First Class Mail on February 27, 2002 and addressed to the Asst. Commissioner for Patents, Washington, D.C. 20231.

(Name of person mailing paper)

(Signature of person)





United States Patent and Trademark Office

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/054,568

01/22/2002

Sami Vilhonen

874.0105.U1(US)

29683 HARRINGTON & SMITH, LLP 1809 BLACK ROCK TURNPIKE FAIRFIELD, CT 06432 CONFIRMATION NO. 7748
FORMALITIES LETTER
OCC000000007495142*

Date Mailed: 02/19/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice <u>MUST</u> be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE